



Website : <http://dpcc.delhigovt.nic.in>

Wmcf/3339

12-04-2016

Certificate No. : O-025094

Address
: 67/1, NEW ROHTAK ROAD., DELHI-110005

Date of Issue : 12-04-2016

Date of Expiry : 09-07-2018

M/s NPCC has done the analysis vide report dated **11-12-2015** as follows:

pH=7.2, Oil and Grease=0.8, Bio-chemical oxygen demand [3days at 2.7°C]=9.0, Total Suspended Solids (TSS)=18, Bio - assay test (percent survival of fish after 96 hours in 100 percent effluent)=90
All effluent parameters are in mg/l except pH; & Bio - assay test value.

Prescribed standards

pH = 5.5-9, Oil and Grease ≤ 10 , Bio-chemical oxygen demand [3days at 27°C] ≤ 350 , Total Suspended Solids (TSS) ≤ 600 , Bio - assay test (percent survival of fish after 96 hours in 100 percent effluent) = 90-100

VKAIN

Environmental Engineer
Delhi Pollution Control Committee
Govt. of NCT of Delhi
ISBT, Kashmir Gate, Delhi-110005

Issuing Authority: SENIOR ENVIRONMENTAL ENGINEER

Env. Engineer

Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building
Kashmere Gate, New Delhi-110006

Terms and Conditions

1. The Consent is activity specific. The unit shall apply for fresh consent in case of there is any change in the activity/manufacturing process.
2. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system.
3. The unit shall ensure proper channelization/ control system for fugitive emissions generated and good housekeeping so as to maintain clean and safe environment in and around the Health Care Establishment/ Hospital premises.
4. The unit shall comply with the norms laid down vide Gazette Notification of Ministry of Environment and Forests, Government of India dated 17.05.2002 for the Diesel Generator set(s), used if any.
5. The unit shall comply with the emission standards prescribed for Diesel Engines (Engine rating more than 0.8 MW used for generation of power), if any and other requirements as notified vide Govt. of India notification dated 09.07.2002 of Ministry of Environment & Forests.
6. In the event of any information furnished by the consentee found to be false, consent granted through this order shall be deemed to be revoked and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
7. The unit shall comply with requirement of Hazardous Waste (Management and Handling) Rule, 1989 and the Batteries (Management and Handling) Rules, 2001, whichever applicable.
8. In the case of a polythene bags mfg. unit the consent shall be further subject to the unit complying with requirement of Delhi Plastic Bag (Manufacture, Sales and Usage) and Non-Biodegradable Garbage (Control) Act 2000.
9. Notwithstanding anything contained in this Consent order the Committee reserves the right to review any or all conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of Air (Prevention and Control of Pollution) Act, 1981 and Water (Prevention and Control of Pollution) Act, 1974.
10. The unit shall comply the prescribed standards of emission as applicable under provision of Environment (Protection) Act and rules.
11. This Consent to Operate(Renewal) is granted subject to the provisions of Air (Prevention and Control of Pollution) Act, 1981 as amended to date and rules and orders made thereof and under section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended to date and based on the information provided in the consent application along with the documents submitted to this office.
12. The Consentee shall comply with the provisions of the Environment (Protection) Act, 1986 as amended to date.
13. The Consentee shall comply with the provisions of the Bio-Medical Waste (Management and Handling) Rules, 1998 as amended to date.
14. Capacity of proposed DG Sets is ___ 140 ___ KVA. Quantity of domestic / trade effluent discharge ___ 3000 ___ Litres per Day / ___ 0 ___ Litres per Day.
15. The unit shall comply with the Notification of Government of National Capital Territory of Delhi, dated 02.06.2005 issued under Delhi Plastic Bag (Manufacturers, Sales and usage) and Non-biodegradable Garbage (Control) (Amendment) Act, 2004 and further amendments in the said rules.
16. The Consentee shall also comply with the Additional Conditions enclosed as Annexure-I.
17. This Consent to Operate(Renewal) is issued as per the decisions recommended by the BMW Committee No.1 in its meeting held on 26.02.2016.